

**RGB/RGG -Rahmen und Rahmengruppen
Gewichtstabelle (in kg)**

Material	Rahmen- typ/ -gruppe	x1	x2	x3	x4	x5	x6
STEEL SS 1312 SS EN 10025-S235JRG2 DIN RST 37-2 ASTM A36 BS 4360 gr.40 NS 171000	2	3.1	5.0	6.9	8.8	10.7	12.6
	4	3.8	5.9	8.1	10.2	12.4	14.6
	6	4.4	6.8	9.2	11.5	13.8	16.3
	8	5.0	7.7	10.4	13.1	15.8	18.5
	2+2	5.0	7.9	10.9	13.9	16.8	19.8
	2+4	5.6	9.0	12.4	15.7	19.1	22.4
	2+6	6.2	9.9	13.6	17.3	21.0	24.7
	2+8	6.9	11.0	15.1	19.2	23.3	27.4
	4+4	6.2	9.9	13.6	17.3	21.0	24.7
	4+6	6.9	11.0	15.1	19.2	23.3	27.4
	4+8	7.4	11.8	16.2	20.6	25.0	29.4
	6+6	7.4	11.8	16.2	20.6	25.0	29.4
	6+8	8.1	13.0	17.9	22.7	27.6	32.4
8+8	8.9	14.2	19.5	24.9	30.2	35.5	
STAINLESS STEEL SS 2343 DIN 1.4436 AISI 316 BS 970 gr.316 NS 14450	2	3.2	5.1	7.1	9.0	11.0	12.9
	4	3.9	6.1	8.3	10.5	12.7	14.9
	6	4.5	6.9	9.4	11.8	14.2	16.7
	8	5.2	7.9	10.7	13.5	16.2	19.0
	2+2	5.1	8.1	11.2	14.2	17.2	20.3
	2+4	5.8	9.2	12.7	16.1	19.6	23.0
	2+6	6.3	10.1	13.9	17.8	21.6	25.4
	2+8	7.1	11.3	15.5	19.7	23.9	28.1
	4+4	6.3	10.1	13.9	17.8	21.6	25.4
	4+6	7.1	11.3	15.5	19.7	23.9	28.1
	4+8	7.6	12.1	16.6	21.1	25.6	30.1
	6+6	7.6	12.1	16.6	21.1	25.6	30.1
	6+8	8.4	13.3	18.3	23.3	28.3	33.3
8+8	9.1	14.6	20.0	25.5	31.0	36.4	
ALUMINIUM SS 4212 DIN ALMG SI 1 A 6082 BS 1474 gr.6080 NS 17305	2	1.1	1.8	2.5	3.1	3.8	4.4
	4	1.4	2.1	2.9	3.6	4.4	5.1
	6	1.6	2.4	3.2	4.1	4.9	5.7
	8	1.8	2.7	3.7	4.6	5.6	6.5
	2+2	1.8	2.8	3.9	4.9	5.9	7.0
	2+4	2.0	3.2	4.4	5.5	6.7	7.9
	2+6	2.2	3.5	4.8	6.1	7.4	8.7
	2+8	2.4	3.9	5.3	6.7	8.2	9.6
	4+4	2.2	3.5	4.8	6.1	7.4	8.7
	4+6	2.4	3.9	5.3	6.7	8.2	9.6
	4+8	2.6	4.2	5.7	10.9	8.8	10.3
	6+6	2.6	4.2	5.7	10.9	8.8	10.3
	6+8	2.9	4.6	6.3	11.6	9.7	11.4
8+8	3.2	5.0	6.9	12.4	10.6	12.5	